

Platelet transfusion issues - unraveling the pH puzzle

Reference	Quality			Safety				P.I.		Effectiveness				All		
	Q1	Q2	Q3	Q4	S1	S2	S3	S4	P1	P2	E1	E2	E3	E4	5	6
1 Advisory Committee on Blood Safety and Availability. <a href="http://www.hhs.gov/ophs/bloodsafety/index.html">http://www.hhs.gov/ophs/bloodsafety/index.html</a>			1													
2 Aqai, Nicole A. Bacterial Contamination of Blood Products, College of American Pathologists, June 2006						1	1									
3 Arendt, A., J Carmean, E Koch, et al. Fatal bacterial infections associated with platelet transfusions—United States, 2004. MMWR Morb Mortal Wkly Rep 2005; 54:168-70							1									
4 Ashwood, E.R., Kost, G., and Kenny, M. (1983). Temperature correction of blood-gas and pH measurements. Clin Chem 29, 1877-1885.																1
5 AuBuchon, J P, L Herschel, J Roger, H Taylor, P Whitley, J Li, R Edrich, R P Goodrich, Efficacy of apheresis platelets treated with riboflavin and ultraviolet light for pathogen reduction. TRANSFUSION 2005;45:1335-1341.	1	1			1				1	1		1	1			
6 AuBuchon, J P, L K Cooper, M F Leach, et al. Experience with universal bacterial culturing to detect contamination of apheresis platelet units in a hospital transfusion service. Transfusion 2002;42:855-61.					1											
7 AuBuchon, J P, Taylor, H, Holme, S, and Nelson, E (2005). In vitro and in vivo evaluation of leukoreduced platelets stored for 7 days in CLX containers. Transfusion 45, 1356-1361.		1		1									1	1		
8 Barker, L M, O Z Nanassy, M W Reed, S J Geelhood, R D Pfalzgraf, G A Cangelosi, Daily Non-Invasive Fluorescence Ratio Measurement of Platelet Concentrate pH Can Detect the Presence of Bacteria, AABB SP 49, Abstract 130, Transfusion 46 (2006) 54A..								1								1
9 Bertolini F, Murphy S. A multicenter inspection of the swirling phenomenon in platelet concentrates prepared in routine practice. Biomedical Excellence for Safer Transfusion (BEST) Working Party of the International Society of Blood Transfusion. Transfusion 1996;36:128-32.				1									1	1		
10 Blajchman, M A, M Goldman, F Baeza. Improving the bacteriological safety of platelet transfusions. Transfusion Medicine Reviews. 2004. Jan;18(1):11-24.						1	1									
11 Brecher M E, D Heath, S Hay, S Rothenberg, L C Stutzman. Evaluation of a new generation culture bottle using the BacT/ALERT 3 D Microbial Detection system on 9 common contaminating organisms found in platelet components. Transfusion 2002;42:774-779.					1	1	1									1
12 Brecher, M E and Shauna N Hay. Bacterial Contamination of Blood Components, Transfusion Transmitted Bacterial Transmitted Bacterial Infection of Platelets, Clinical Microbiology Reviews, January 2005, p. 195-204, Vol. 18, No. 1 0890-8512/508.00+0					1	1										
13 Brecher, M E, G Boothe, and A Kerr. 1993. The use of a chemiluminescence-linked universal bacterial ribosomal RNA gene probe and blood gas analysis for the rapid detection of bacterial contamination in white cell reduced and nonreduced platelets. Transfusion 33:450-457.					1	1										
14 Brecher, M E, J J Hogan, G Boothe, et al. Platelet bacterial contamination and the use of a chemiluminescence-linked universal bacterial ribosomal RNA gene probe. Transfusion 1994; 34:750-5.								1	1							
15 Brecher, M E, N Means, C S Jere, D Heath, S Rothenberg, and L C Stutzman. 2001. Evaluation of the BacT/ALERT 3D® Microbial Detection System for platelet bacterial contamination: an analysis of 15 contaminating organisms. Transfusion 41:477-482.								1	1							
16 Brecher, M E, P V Holland, A A Pineda, G E Tegmeier, and R Yomtavian. 2002. Growth of Bacteria in inoculated platelets: implications for bacteria detection and the extension of platelet storage. Transfusion 40:1308-1312						1	1									
17 Brecher, M E, S N Hay, and S J Rothenberg. 2003. Monitoring of apheresis platelet bacterial contamination with an automated liquid culture system: a university experience. Transfusion 43:974-978.								1								
18 Brecher, M E, S N Hay, S J Rothenberg. Validation of BacT/ALERT plastic culture bottles for use in testing of whole-blood-derived leukoreduced platelet-rich-plasma-derived platelets. Transfusion 2004;44:1174-8.								1								
19 Brecher, M E, S N Hay. Bacterial contamination of blood components. Clin Microbiol Rev 2005; 18:195-204					1	1										
20 Bremer Zentrum für Laboratoriumsmedizin am Klinikum Bremen Mitte & LADR GmbH Medizinisches Versorgungszentrum Bremen, Friedrich-Karl-Straße 22, Bremen, Germany. LaboratoriumsMedizin. Volume 30, Issue 6, Page 393, 01/12/2006.					1	1										
21 Burstain, J.M., Brecher, M.E., Workman, K., Foster, M., Faber, G.H., and Mair, D. (1997). Rapid identification of bacterially contaminated platelets using reagent strips: glucose and pH analysis as markers of bacterial metabolism. Transfusion 37, 255-258.									1							1
22 Cardigan, R., and Williamson, L.M. (2003). The quality of platelets after storage for 7 days. Transfus Med 13, 173-187.			1	1												
23 CBER. 2002. Annual Report FY. 2002 (1 October 2001 through 30 September 2002).							1									
24 Chambers, L.A., Long, K.F., Wissel, M.E., Counts, F., and Nicol, K. (2004). Multisite trial of a pH paper and a pH value of less than 7.0 to screen whole-blood-derived platelets: implications for bacterial detection. Transfusion 44, 1261-1263.								1	1							1
25 Chiu, E K W, K Y Yuen, A K W Lie, R Liang, Y L Lau, A C Lee, Y L Kwong, S Wong, M H Ng, and T K Chan. 1994. A prospective study of symptomatic bacteremia following platelet transfusion and of its management. Transfusion 34:950-954.							1									
26 Clark, Pamela; Theodore M Parsons; James C Boyd; Patti Dewey, and Paul D Mintz. Imported Platelets Demonstrate Decreased pH and Glucose by Reagent Strip Testing when Compared to Locally Derived Platelets, Departments of Pathology and Internal Medicine and Medical Center Blood Bank, University of Virginia Health System, Charlottesville, Virginia. Annals of Clinical & Laboratory Science 36:443-446 (2006).					1	1										
27 College of American Pathologists. Transfusion Medicine. In: Stephen J. Sarewitz, ed. Laboratory accreditation program inspection checklists. Northfield, Ill.: College of American Pathologists, 2004.								1								
28 COMMISSION DIRECTIVE 2004/33/EC of 22 March 2004 implementing Directive 2002/98/EC of the European Parliament and of the Council as regards certain technical requirements for blood and blood components. Official Journal of the European Union. 30.3.2004: L 91/25-39				1												1
29 Corbin, F. 2002. Pathogen inactivation of blood components: current status and introduction of an approach using riboflavin as a photo sensitizer. Int. J. Hematol. 766:253-257						1	1									

Platelet transfusion issues - unraveling the pH puzzle

Reference	Quality				Safety				P.I.		Effectiveness				All	
	Q1	Q2	Q3	Q4	S1	S2	S3	S4	P1	P2	E1	E2	E3	E4	5	6
30 Da Ponte, A, E Bidoli, R Talamini, A Steffan, L Abbruzzese, R Tassan Toffola, L De Marco. Pre-storage leucocyte depletion and transfusion reaction rates in cancer patients. Vox Sanguinis. Vol 82 p67. February 2002.																
31 de Korte, D., et al., Effects of skin disinfection method, deviation bag, and bacterial screening on clinical safety of platelet transfusions in the Netherlands. Transfusion, 2006. 46(3): p. 476-85																
32 de Korte, D, Marcelis J H, Soeterboek A M. Determination of the degree of bacterial contamination of whole-blood collections using an automated microbe-detection system. Transfusion 2001;41:815-8.																
33 de Korte, D., Dekkers, D., Cuyper, I. D., R Verhaar, P F van der Meer, and A J Verhoeven, Effect Of Extracellular pH On Platelet Concentrates, Transfusion 45 (2005) 76A.																
34 de Korte, D., Vlaar, R. C., Gouwerok, E. C., DeCuyper, I. M., Klip, E. J., and Reed, M. W., Non-Invasive Measurement of Platelet Concentrate pH with a Fiber Optic Fluorescence Detector, Transfusion 46S (2006) 66A.																
35 Depcik-Smith, ND, SN Hay, ME Brecher. Bacterial contamination of blood products: Factors, options, and insights. Journal of Clinical Apheresis 16:192-201 (2001)																
36 de Wildt-Eggen J, Schrijver JG, Bins M, Gulliksson H. Storage of platelets in additive solutions: effects of magnesium and/or potassium. Transfusion. 2002 Jan;42(1):76-80.																
37 Dijkstra-Tiekstra, M. J., Setroikromo, A., Scholten-Pijper, L., Delden, C. J. v., and Wildt-Eggen, J. d., Platelet Concentrates in pH Reading Containers, Poster Presented to the 17th Congress of the International Society of Blood Transfusion (2007)																
38 Dijkstra-Tiekstra, M.J., Pietersz, R.N., and Huijgens, P.C. (2004). Correlation between the extent of platelet activation in platelet concentrates and in vitro and in vivo parameters. Vox Sang 87, 257-263.																
39 Dijkstra-Tiekstra, M.J., Pietersz, R.N., Hendriks, E.C., Reesink, H.W., and Huijgens, P.C. (2004). In vivo PLT increments after transfusions of WBC-reduced PLT concentrates stored for up to 7 days. Transfusion 44, 330-336.																
40 Dumont L, VandenBroeke T. Donor Dependent Glycolysis Rates for Platelets Stored in Plasma. Transfusion 44(S):29A, 2004.																
41 Dumont LJ, T Vandenbroeke, J Rice, D Strauss. Shipping and Platelet Content Effects on pH In Routinely Collected Apheresis Platelets Stored 7 Days. Transfusion 2007;47(S):80A.																
42 Dumont LJ, T Vandenbroeke, J Rice, M Einarson, P Tomasulo, D Harpool, D Strauss, T Price. Maintenance of pH in Routinely Collected Apheresis Platelets Stored 7 Days. Transfusion 2007;47(S):82A.																
43 Dumont, L J and J P Aubuchon. 2002. Making risk statements stick. Vox Sang. 83:199-203																
44 Dumont, L J. The pH of Platelets for Transfusion – A Key Indicator of Platelet Efficacy, Prepared for Blood Cell Storage, Inc., October 9, 2007																
45 Dumont, L J. Therapy Scientist, COBE BCT, Inc. and Geert van Waeg, PhD, Therapy Scientist, COBE Laboratories, Inc., Measuring the pH of Platelet Concentrates.																
46 Dumont, L.J., and VandenBroeke, T. (2003). Seven-day storage of apheresis platelets: report of an in vitro study. Transfusion 43, 143-150.																
47 Dumont, L.J., AuBuchon, J.P., Gulliksson, H., Slichter, S.J., Elfath, M.D., Holme, S., Murphy, J.R., Rose, L.E., Popovsky, M.A., and Murphy, S. (2006). In vitro pH effects on in vivo recovery and survival of platelets: an analysis by the BEST Collaborative. Transfusion 46, 1300-1305.																
48 Dumont, L.J., AuBuchon, J.P., Whitley, P., Herschel, L.H., Johnson, A., McNeil, D., Sawyer, S., and Roger, J.C. (2002). Seven-day storage of single-donor platelets: recovery and survival in an autologous transfusion study. Transfusion 42, 847-854.																
49 Dumont, L.J., Vandenbroeke, T., Rice, J., Einarson, M., Tomasulo, P., Harpool, D., Strauss, D., and Price, T.H. (2007). Maintenance of pH in Routinely Collected Apheresis Platelets Stored 7 Days. Transfusion 47(S), 82A.																
50 Dumont, LJ, Shake, rattle, and roll . . . preventing platelets from turning into Golden Oldies. TRANSFUSION 2008;48:2487-2489.																
51 Eichhorn, J.H. (1985). Inaccuracy in Blood Gas/pH Measurements Caused by the Blood Sample. Journal of Medical Technology 2, 23-26.																
52 Engelfriet, C P, H W Reesink, M A Blajchman, et al. Bacterial contamination of blood components. Vox Sang 2000;78:59-67.																
53 Fatalities Reported to FDA Following Blood Collection and Transfusion. Annual Summary for year 2007. Center for Biologics Evaluation and Research, Bethesda, MD.																
54 Frere MC, Rapaille A, Bouillenne C, Gerard C, Sondag D, Verhees A. Analysis of 516 reports of reactions after the transfusion of labile blood products. Transfus Clin Biol. 2001 Aug;8(4):333-42.																
55 Guidance for Industry and FDA Review Staff Collection of Platelets by Automated Methods, DRAFT GUIDANCE. U.S. Department of Health and Human Services, Food and Drug Administration, Center for Biologics Evaluation and Research, September 2005.																
56 Guide to the preparation, use and quality assurance of blood components. Recommendation No. R(95) 15, 13th ed. Strasbourg. Council of Europe 2007. pp. 151-155.																
57 Haemonetics Bacterial Detection Fact Sheet (2/9/04), Haemonetics Comments on Bacterial Detection (Transcript from Haemonetics Quarterly Investor Call of January 22, 2004):																
58 Hay, S N, M E Brecher. Validation of pH and glucose determination for bacterial detection screening in platelet concentrates stored in the Terumo Teruflex XT612 platelet container. Transfusion 2004;44:1395.																
59 Holme, S., Sweeney, J.D., Sawyer, S., and Elfath, M.D. (1997). The expression of p-selectin during collection, processing, and storage of platelet concentrates: relationship to loss of in vivo viability. Transfusion 37, 12-17.																
60 Jacobs, M R, E Palavecino, R Yomtovian. Don't bug me: the problem of bacterial contamination of blood components-challenges and solutions. Transfusion 2001;41:1331-4.																
61 Kaufman, R M. Platelets: testing, dosing and the storage lesion-recent advances. Hematology. (Am Soc Hematol Educ Program). 2006:492-296																

Platelet transfusion issues - unraveling the pH puzzle

Reference	Quality				Safety				P.I.		Effectiveness				All	
	Q1	Q2	Q3	Q4	S1	S2	S3	S4	P1	P2	E1	E2	E3	E4	5	6
62 Kleinman, S, LJ Dumont, P Tomasulo, C Bianco, L Katz, RJ Benjamin, O Gajic, ME Brecher. The impact of discontinuation of 7-day storage of apheresis platelets (PASSPORT) on recipient safety: an illustration of the need for proper risk assessments. Transfusion 2009;49:903-912.								1								
63 Kline L, R Mercado, T Donato, M Gaughan, G Kotnik, P Sundara. Evaluation of a System to Pool and Store Whole-Blood-Derived Platelet Concentrates for 5 Days. Transfusion 2007;47(Suppl):3A.				1												1
64 Koopman, M M W, E van 't Ende, R. Lieshout-Krikke, J Marcelis, W.M. Smid, D de Korte, BacT/ALERT Survey 2006-2007 Sanguin, Dutch Society of Transfusion Meeting, May 2009.					1	1										
65 Kuehnert, M J, V R Roth, N R Haley, K R Gregor, K V Elder, G B Schreiber, J J Arduino, S C Holt, L.A. Carson, S.N. Banerjee, and W.R. Jarvis. 2001. Transfusion-transmitted bacterial infection in the United States, 1998 through 2000. Transfusion 41: 1493-1499.							1									
66 Labovich TM. Transfusion therapy: nursing implications. Clin J Oncol Nurs. 1997 Jul;1(3):61-72.											1	1				
67 Larson, C P, F Ezligini, N O Hermansen, J Kjeldsen-Kragh. Six years; experience of using the BacT/ALERT system to screen all platelet concentrates, and additional testing of outdated platelet concentrates to estimate the frequency of false-negative results. Vox Sand 2005;88:93-7.								1								
68 Lin L., H Londe, J M Janda, C V Hanson, and L Corash. 1994. Photochemical inactivation of pathogenic bacteria in human platelet concentrates. Blood 83:2698-2706								1								
69 Lockwood, William B. Transfusion medicine today: Mission accomplished?, Medical Laboratory Observer, Jan 2009.							1					1				
70 Maas, A.H., Weisberg, H.F., Burnett, R.W., Muller-Plathe, O., Wimberley, P.D., Zijstra, W.G., Durst, R.A., and Siggaard-Andersen, O. (1987). Approved IFCC methods. Reference method (1986) for pH measurement in blood. International Federation of Clinical Chemistry (IFCC), Expert panel on pH, blood gases and electrolytes. J Clin Chem Clin Biochem 25, 281-289.																1
71 MacDonald, A, D Evanovitch, L Wilcox, C Lester, D Boychuk, M A Blajchman, Hamilton Regional Laboratory Medicine Program, Hamilton Health Sciences and St Joseph's Healthcare. Validation Testing for pH Testing of Platelets as a Surrogate Test for Bacterial Detection.									1							1
72 Marschner S, K A Buytaert-Hoefen, N A Hovenga, D F Dumont, L H Herschel, J Roger, L J Dumont, J P Aubuchon, R P Goodrich. Analysis of Plasma Ratio and Cell Quality of Platelet Hyperconcentrates Treated with Mirasol® Pathogen Reduction Technology. Transfusion 44(S):81A, 2004.		1		1					1	1						
73 McDonald, C P, A Rogers, M Cox, R Smith, A Roy, S Robbins, S Hartley, J A Barbara, S Rothenberg, L Stutzman, and G Widders. 2002. Evaluation of a 3D BacT/ALERT automated culture system for the detection of microbial contamination of platelet concentrates. Transfusion Med. 12:303-309.								1								
74 Michaud A., A Cable, L Crow, J Huss, M Morse. Operational Impact of 7-Day Apheresis Platelet Implementation. Transfusion 2007;47(S):254A				1												
75 Mohr, H, U Gravemann, TH Mueller, F Toklsdorf, WH Walker. Pathogen Reduction in Platelet Concentrates Using UVC Light in Combination with Strong Agitation: Effect on Activation Markers.									1	1						
76 Montag, T., Nicol, S.-B., Schurig, U., Brachert, J., Sauer, A., Friedrich, A., Müller, T., and Schneider, C. K., Time course of pH in platelet concentrates after bacterial contamination, Transfusion Medicine and Hemotherapy 34 (2007)																1 1
77 Montag, Thomas. FDA Blood Products Advisory Committee, September 8-9, 2008. Invited speaker.									1	1						1 1
78 Moroff G, S J Wagner, A Skripchenko, P Sabol, J W Kurtz, S Seetharaman, A Myrup, D Thompson-Montgomery, H Awatefe, J Nixon, D Ziegler, M Einarson, R Vassallo, Jr. Retention of Apheresis Platelet Properties with Interruption of Agitation under Simulated Shipping Conditions. Transfusion 2007;47(S):15A		1		1												1 1
79 Munksgaard, L, L Albjerg, S T Lillevang, B Gahrn-Hansen, J Georgsen. Detection of bacterial contamination of platelet components: six years' experience with the BacT/ALERT system. Transfusion 2004; 44:1166-73.																1
80 Murphy S, Shimizu T, Miripol J. Platelet storage for transfusion in synthetic media: further optimization of ingredients and definition of their roles. Blood 1995;86:3951-60.		1														
81 Murphy, S., Kahn, R.A., Holme, S., Phillips, G.L., Sherwood, W., Davison, W., and Buchholz, D.H. (1982). Improved storage of platelets for transfusion in a new container. Blood 60, 194-200.																
82 Muylle L., Wouters E., DeBock R., Peetermans M.E., Reactions to platelet transfusion, the effect of the storage time of the concentrate, Transfusion Medicine, 2, 289-293, 1992		1										1				
83 Ness, P M, H G Braine, K King, C Barrasso, T Kickler, A Fuller, and N Blades. 2001. Single donor platelets reduce the risk of septic transfusion reactions. Transfusion 41:857-861.																
84 Nguyen, K A T, T Yamamoto, N Hirschler. Validation of Pall bacterial detection system in a blood center setting. Transfusion 2003; 43(Suppl):S63-030K.																
85 Palavecino, Elizabeth L, Roslyn A Yomtovian, and Michael R Jacobs. Detecting Bacterial Contamination in Platelet Products. Clin Lab. 2006, 52:443-4566																
86 Pealer, L N, A A Marfin, L R Petersen, R S Lanciotti, P L Page, S L Stramer, M G Stobierski, K Signs, B Newman, H Kapoor, J L Goodman, M E Chamberland, and the West Nile Virus Transmission Investigation Team. 2003. Transmission of West Nile virus through blood transfusion in the United States in 2002. N. Engl. J. Med. 349:1236-1245.																
87 Perez, P, L R Salmi, G Follea, J L Schmit, B de Barbeyrac, P Sudre, R Salamon, the BACTHEM Group, and the French Haemovigilance Network. 2001. Determinants of transfusion-associated bacterial contamination: results of the French BACTHEM case-control study. Transfusion 41: 862-871.																
88 Pickler, SM, A Steisel, BS Gathof. In-vitro Function of Platelets Treated with MIRASOL for Pathogen Reduction Compared with control and Irradiated Units. Taransfusion 2007; 47 (S); 78A																
89 Price, T H, ed. Standards for Blood Banks and Transfusion Services (ed 25). Bethesda, MD: AABB; 2008, p 11																

Platelet transfusion issues - unraveling the pH puzzle

Reference	Quality				Safety				P.I.		Effectiveness				All	
	Q1	Q2	Q3	Q4	S1	S2	S3	S4	P1	P2	E1	E2	E3	E4	5	6
90 Rebulla, P. Refractoriness to platelet transfusion. Current Opinions in Hematology. 2002 Nov;9(6):516-20.												1				
91 Reed, M W, S Geelhood, L M Barker, R Pfalzgraf, R Vlaar, E Gouwerok, I M De Cuyper, P Harris, A J Verhoeven, D de Korte. Noninvasive measurement of pH in platelet concentrates with a fiber optic fluorescence detector, Transfusion, June 2009, 52:1233-1241.	1		1	1			1	1							1	1
92 Reed, Michael W. Current Status of pH Measurement in Platelet Concentrates, Blood Cell Storage, Inc. Review, October 6, 2007.				1					1				1			1
93 Ribault, S, Harper K, Grave L, Lafontaine C , Nannini P, Raimondo A, and Besson Faure I. 2004. Rapid Screening Method for Detection of Bacteria in Platelet Concentrates. Journal of Clinical Microbiology, 42(5):1903-08					1	1										1
94 Ringwald, J., Zimmermann, R., Strasser, E., Weiss, D., and Eckstein, R. (2006). Measuring the pH of platelet concentrates. Transfusion 46, 870-871; author reply 871-872.																1
95 Ross, Alan, American Red Cross Biomedical Services. Limiting and Detecting Bacteria in Platelet Products: The Red Cross Experience. PowerPoint presentation, slide 6.								1								1
96 Rossmann, S., Reutz, M., Hartwell, B., and Lewis, M. (2007). Bacterial Contamination in Platelet Concentrates: The Experience of a Large Blood Center. Transfusion 47(S), 198A.				1	1	1		1							1	1
97 Sawyer S, P H Whitley, N Heide, I Cuartas, R Beddard, D L Holmes, S Holme, T Lieu, E Nelson. A Paired-Design Study of Platelet Rich Plasma-Derived Platelets Stored in a Glucose-Containing Platelet AS (PAS-G) as Compared to Platelets Stored in Plasma. Transfusion 2007;47(Suppl):4A.				1												1
98 Schofield WN, Rubin GL, Dean MG. Appropriateness of platelet, fresh frozen plasma and cryoprecipitate transfusion in New South Wales public hospitals. Med J Aust. 2003 Feb 3;178(3):117-21.											1	1				
99 SHOT. 2002. Serious Hazards of Transfusion. SHOT report for 2000-2001. (Cumulative data 01/10/1995-30/09/2002).						1						1				
100 Slichter, S.J., Bolgiano, D., Jones, M.K., Christoffel, T., Corson, J., Rose, L., Foley, J., Popovsky, M., Baril, L.L., Corda, T., Dincecco, D.M., and Snyder, E.L. (2006). Viability and function of 8-day-stored apheresis platelets. Transfusion 46, 1763-1769.			1													
101 Spiess BD, Royston D, Levy JH, Fitch J, Dietrich W, Body S, Murkin J, Nadel A. Platelet transfusions during coronary artery bypass graft surgery are associated with serious adverse outcomes. Transfusion. 2004 Aug;44(8):1143-8.											1	1				
102 Standards for blood banks and transfusion services. 22nd ed. Bethesda.; American Association of Blood Banks; 2003.						1	1									1
103 Standards for Blood Banks and Transfusion Services. 24ed. AABB. Bethesda. 2006. pp.31-32.				1												1
104 Sweeney JD, T A Cheves, S Holme, E J Nelson. Prestorage Pools Consisting of Hyperconcentrated Platelets Can Be Stored for Five Days in CLX®-HP Containers. TRANSFUSION 2007;46(S);68A.	1															
105 te Boekhorst, P A W; E A M Beckers, M C Vos, H Vermeij, D J Va Rhenen. Clinical significance of bacteriologic screening in platelet concentrates. Transfusion. 45(4): 514-519, April 2005.						1	1	1								
106 Tetteh G, C Baldwin, T O'Brien, E McQuail, D Strauss. Inventory Management with 7-Day Apheresis Platelets. Transfusion 2006;46(S):172A	1	1														
107 Tucker, Miriam E. Bacteria-tainted platelets focus of transfusion risks, OB/GYN News, April 1, 2005.						1	1									1
108 Tudisco, C., Jett, B.W., Byrne, K., Oblitas, J., Leitman, S.F., and Stroncek, D.F. (2005). The value of pH as a quality control indicator for apheresis platelets. Transfusion 45, 773-778.																1
109 van der Meer, P.F., van Zanten, A.P., Pietersz, R.N., and Reesink, H.W. (2001). Variation of pH-measurement in platelet concentrates. Transfus Med 11, 49-54.																1
110 van der Meer, PF, JH Kerkhoffs, J Curvers, J Scharenberg, IJ Bontekoe, J Heeremans, J De wildt-Eggen. Seven-Day Storage of White Cell-Reduced Platelet Concentrates in Plasma or AS and the Effect of Pathogen Reduction – A Multicenter Evaluation. Transfusion 2007; 47(S): 4A									1	1						
111 van der Meer, PF, LA Liefiting, RN Pietersz. Assessment of Out-dated Platelet Concentrates. Transfusion 2007, 47(S): 83A.			1	1												1
112 Wagner SJ, A Skripchenko, A Myrup, H Awatefe, D Thompson-Montgomery, G Moroff, P Carmichael, L Lin. The Effect of Photochemical Treatment (PCT) on the In Vitro Properties of Pooled Whole-Blood-Derived Leukoreduced Platelets Stored in 100% Plasma. Transfusion 2007;47(Suppl):129A.	1			1												
113 Wagner, S J and D Robinette. 2003. Evaluation of swirling, pH, and glucose tests for the detection of bacterial contamination in platelet concentrates. Transfusion 36:989-993					1	1	1									1
114 Wagner, S J, and D Robinette. 1998. Evaluation of an automated microbiologic blood culture device for detection of bacteria in platelet components. Transfusion 38:674-679.					1	1										1
115 Werch, J.B., Mhaweck, P., Stager, C.E., Banez, E.I., and Lichtiger, B. (2002). Detecting bacteria in platelet concentrates by use of reagent strips. Transfusion 42, 1027-1031.				1				1						1	1	
116 Yazer, M.H., and Triulzi, D.J. (2005). Use of a pH meter for bacterial screening of whole blood platelets. Transfusion 45, 1133-1137.					1	1		1								1
117 Yomtovian, R, H M Lazarus, L T Goodnough , et al. A prospective microbiologic surveillance program to detect and prevent the transfusion of bacterially contaminated platelets. Transfusion 1993, 33:902-9								1	1							1
118 Yomtovian, R., E Palavecino, A Dykstra, et al. Evolution of surveillance methods for detection of bacterial contamination of platelets in a university hospital, 1991-2004. Transfusion 2006; 46:719-730.					1	1										